

FLEXIBLE COUPLINGS



VALIADIS
HELLENIC MOTORS




VALIADIS S.A.
HELLENIC MOTORS

ΕΥΚΑΜΠΤΟΙ ΣΥΝΔΕΣΜΟΙ
ΚΟΠΛΕΡ-FLEXIBLE COUPLINGS



ΕΥΚΑΜΠΤΟΙ ΣΥΝΔΕΣΜΟΙ- ΚΟΠΛΕΡ - FLEXIBLE COUPLINGS

REX




ΔΙΑΣΤΑΣΕΙΣ-DIMENSIONS

No	D (mm)	D1 (mm)	D _{min} (mm)	D _{max} (mm)	I (mm)	a (mm)	b (mm)	z (mm)	Βάρος (kg)
1	70	30	–	18	30	8	2–4	2–4	0,8
2	80	40	–	22	35	12	27	2–4	1,4
3	90	55	–	25	46	14	36	2–4	2,35
4	100	65	–	30	51	18	40	2–4	3,35
5	120	70	20	35	57	23	44	2–4	5
6	150	85	24	40	72	30	56	2–4	8,5
7	170	90	30	50	79	35	62	3–6	12
8	210	100	35	60	83	38	66	3–6	20,35

ΜΕΤΑΔΙΔΟΜΕΝΗ ΙΣΧΥΣ / TRANSMITTABLE POWER

Revolutions/minute - rpm					
			Ισχύς - Power		
No	D (mm)	rpm _{max}	2.800rpm	1.440rpm	920rpm
			HP/kW	HP/kW	HP/kW
1	70	8.200	3,0/2,2	1,6/1,2	1,0/0,7
2	80	7.700	4,0/2,9	2,1/1,5	1,3/0,9
3	90	7.200	5,0/3,7	2,6/1,9	1,7/1,2
4	100	6.500	10,0/7,4	5,2/3,8	3,2/2,4
5	120	5.200	24,0/17,7	12,5/9,2	8,0/5,9
6	150	4.000	37,0/27,2	18,5/13,6	12,0/8,8
7	170	3.600	63,0/46,3	32,0/23,6	20,0/14,7
8	210	3.100	125,0/92,0	64,0/47,0	37,5/27,6

MAX-REX



ΔΙΑΣΤΑΣΕΙΣ-DIMENSIONS

No	D (mm)	D1 (mm)	A (mm)	B (mm)	d _{min} (mm)	d _{max} (mm)	Βάρος (kg)
1	71	62	25	40	10	32	1,7
2	85	75	32	47	12	40	2,4
3	112	100	40	63	15	55	7
4	130	110	50	75	20	63	10
5	181	125	55	87	30	70	17
6	225	150	66	106	38	95	30
7	275	181	75	127	50	110	54

ΜΕΤΑΔΙΔΟΜΕΝΗ ΙΣΧΥΣ / TRANSMITTABLE POWER

Revolutions/Minute - rpm						
Ισχύς - Power						
No	rpm _{max}	100rpm	720rpm	960rpm	1440rpm	2880rpm
		HP/kW	HP/kW	HP/kW	HP/kW	HP/kW
1	8.200	0,45/0,33	3,23/2,38	4,31/3,17	7,83/5,76	15,66/11,52
2	7.700	1,14/0,84	8,22/6,05	10,76/8,06	16,45/12,1	32,91/24,2
3	7.200	2,28/1,68	16,45/12,1	21,93/16,13	32,91/24,2	65,82/48,40
4	6.500	4,48/3,30	32,31/23,76	43,08/31,68	64,62/47,52	129,74/95,04
5	5.200	11,39/8,38	82,06/60,34	109,41/80,45	164,12/120,68	328,21/241,36
6	4.000	22,78/16,75	164/120,6	218,68/160,80	328,00/241,2	656,06/482,4
7	3.600	44,70/32,90	323/237,46	430,58/316,61	645,90/474,92	



www.valiadismotors.com